



BlackBerry PlayBook Speaker Replacement

Replace the left or right speakers to return sound to your device.

Written By: Nathan



INTRODUCTION

This guide will cover the steps required to access and replace the speakers on each side of the device. Speakers are replaced one-by-one and can be done in any order.

TOOLS:

- [Phillips #000 Screwdriver](#) (1)
 - [iFixit Opening Tools](#) (1)
 - [Tweezers](#) (1)
-

Step 1 — Remove Back Panel



- Use a plastic opening tool to pry the back panel off by inserting it in between the front and back panel.
- ⓘ There are clips that need to be released on all four sides of the device.
- 🔧 When replacing the back cover insert the bottom side first (usb and hdmi ports stick out about 2mm) inserting them into the covers openings will allow for easier reassembly

Step 2 — Unscrew Left Speaker



- Remove 1.55x.33mm Phillips screw from the metal frame.
- Remove 1.5x4.25mm Phillips screw from speaker bar.

Step 3 — Remove the Left Speaker Stickers



- Peel off the stickers holding the left speaker in place with a tweezer or by using your fingers

Step 4 — Remove Left Speaker



- Slide the left speaker bar out from its metal bracket.

Step 5 — Unscrew Right Speaker



- Remove both 1.5x4.25mm Phillips screws from the right speaker bar by using the Phillips Screwdriver.

Step 6 — Remove Right Speaker



- Lift the right speaker bar to remove it.

To reassemble your device, follow these instructions in reverse order.